



2003





2.....

Gebo. The one name that can meet all your marine glazing needs. Exactly.

ANY PRODUCT WILL MEET YOUR REQUIREMENTS

Today the Gebo vision perfectly matches the needs of modern-day boat designers, naval architects and yacht- and shipbuilders - through both modular 'standard range' products, and versatile, economical custom-built solutions.



In fact, no other marine glazing manufacturer can work as closely or as flexibly with your team to preserve the original design concept with the fewest compromises.

- The product quality, and the pre- and aftersales technical support you would expect from a company at the forefront of glazing technology.

Proof of this is the sheer number of top boatbuilders around the world who have taken on board the design, cost and marketing benefits of the Gebo integrated approach to glazing.



The benefits are there for all to see:



- Consistency of style, colour, finish and quality across all hatches, portlights, windows and doors, with every product perfectly integrated into your original design.

- The flexibility to use colour, shape and finish to boldly differentiate your designs from those of your competitors.



THE POSSIBILITIES ARE ENDLESS

Remember, the products in this catalogue really are just the beginning.

As glazing specialists we have the unique ability to build custom solutions for you. Therefore if your design concept calls for 'non-standard' shapes, sizes, colours or finishes, Gebo can custom-manufacture these for you, without the usual penalties of high unit cost or large minimum quantities.

Contents

Introduction	2
Contents	3
Deckhatches	4-9
FlushLine deckhatches	10-11
Round and Delta	12-13
Portlights	14-15
Rectangular	16-17
Circular ended	18-19
Round and Elliptical	20
FlushLine	21
EconoLine	22-23
Air suction ventilators	24
How to measure up sizes	25
Marine windows - introduction	26-27
Gebo Thermic Line	28-29
Gebo Light Line	30-31
Gebo Clamp system	32
Gebo Concealed screw system	33
Gebo Visible screw system	34
Gebo Entrance door units	35
Gebo Sliding door units	36
Guidelines for ordering ships' windows	37
Areas and built in locations	37
Template plan	38
Why aluminium	39



4.....

Gebo Deckhatches



GEBO deckhatches are made from finest quality seawater-resistant anodised aluminium and have a standard Smoke Grey acrylic panel of 10 or 15 mm thickness. All other parts, including hinges and handles, are also constructed from non-corrosive materials.

Powder-coating of the frame to any RAL colour you specify is also available, as are Clear and Bronze acrylics.

STANDARD 'FLUSH-DECK' DESIGN

For a smoother profile, the frame on our standard hatches has been extended to fit flush against the base mounting. The base mounting screws are covered by the frame for a smoother appearance and extra safety. For designers and builders looking for an even sleeker profile, our new 'FlushLine' deckhatch range is introduced on pages 10 and 11.

CHOOSE FROM TWO BASE MOUNTING DESIGNS

The Gebo offers you a choice of flat base or base with flange and trim to accommodate almost any type of headlining and deckhead construction. An underside sealant channel enables 100% waterproof fitting.



Gebo Deckhatches

SAFETY AND COMFORT

Gebo hatches do not have a single catch, lip or knob for lines or sails to get caught on. Smooth inside frame contours guarantee troublefree access for both crew members and sails.

The standard dimensions of Gebo flanged-base hatches match those of other major hatch manufacturers, giving you flexibility at every stage of boat design and at a compatible price.



The Gebo's unique Airco-Lock theft-proof ventilation setting lets fresh air in while the crew rest or when the boat is unattended. The hatch is locked from the inside, either in the ventilation or the fully closed position.

A range of accessories is also available, including the unique Gebo 'Fly-Blind': an adjustable flyscreen and sun blind in one.

STEPLESS OPENING, TO 180° AND BEYOND, PLUS EASY HINGE ADJUSTMENT

Heavy duty friction hinges secure the hatch in any position from ventilation to full 180° or more. Hinges are also easily adjustable to suit the user.



UNIQUE DEEP-DECK WATER GROOVE

A deep groove in the lower frame keeps water from coming in when the hatch is open.

The following pages will inform you about:

- *Standard deckhatches with and without flange, pages 6, 7, 8 and 9.*
- *FlushLine deckhatches, pages 10 and 11.*
- *FLushLine deckhatches Round and Delta, pages 12 and 13.*

